






MB*-01

Relief Valves(Modular Type)



MOUNTING SURFACE:MB*-01-CETOP3
ISO 03-NFPAD03

Valve Speciations & Attachment

Flow Rating	50 lpm (13.2 gpm)
Max. Pressure	250 bar (3600 psi)
Weight kg(lbs.)	1.1 (2.4)
CODE:20	M5 X85LgX4pcs
CODE:2090	10-24UNCX3-4/4"LgX4pcs
Mounting Surface O-Ring P9 x 2 pc	



OPTION
Design No: 30 (3090)






MB*-03

Relief Valves(Modular Type) (MBA-MBB-MBP-03)



MOUNTING SURFACE:MB*-03-CETOP5
ISO 05-NFPAD05

Valve Speciations & Attachment




Flow Rating	100 lpm (26.5 gpm)
Max. Pressure	250 bar (3600 psi)
Weight kg(lbs.)	3.5 (7.7)
CODE:20	M6 X90LgX4pcs
CODE:2090	1/4-20UNCX3-1/2LgX4pcs
Mounting Surface O-Ring P12 x 5 pc	



OPTION
Design No: 30 (3090)



MB*-03-L



MBW-01



Relief Valves(Modular Type)

MOUNTING SURFACE:MB*-01-CETOP3
ISO 03-NFPAD03




SYMBOL

OPTION
Design No: 30 (3090)



Valve Speciations & Attachment

Flow Rating	50 lpm (13.2 gpm)
Max. Pressure	250 bar (3600 psi)
Weight kg(lbs.)	1.1 (2.4)
CODE:20	M5 X95LgX4pcs
CODE:2090	10-24UNCX4"LgX4pcs
Mounting Surface O-Ring P9 x 2 pc	



MBW-03



Relief Valves(Modular Type)

MOUNTING SURFACE:MB*-03-CETOP5
ISO 05-NFPAD05




SYMBOL


OPTION
Design No: 30 (3090)



Valve Speciations & Attachment

Flow Rating	100 lpm (26.5 gpm)
Max. Pressure	250 bar (3600 psi)
Weight kg(lbs.)	3.5 (7.7)
CODE:20	M6 X90LgX4pcs
CODE:2090	1/4-20UNCX3-1/2LgX4pcs
Mounting Surface O-Ring P12 x 5 pc	






MBA-04

MBB-04

MBP-04

Valve Specifications & Attachment

Flow Rating	190 lpm (50.2 gpm)
Max. Pressure	250 bar (3600 psi)
Weight kg/(lbs.)	7.0 (15.4)
CODE:20	M6X125LgX2pcs M10X120LgX4pcs
CODE:2090	1/4-20UNCX4-7/8"LgX2pcs 3/8-16UNCX4-5/8"LgX4pcs
Mounting Surface O-Ring P9 x 2 pc & P22A x 4 pcs	



MBA-06

MBB-06

MBP-06

Valve Specifications & Attachment

Flow Rating	300 lpm (79.3 gpm)
Max. Pressure	250 bar (3600 psi)
Weight kg/(lbs.)	11.2 (24.6)
CODE:20	M12X140LgX6pcs
CODE:2090	1/2-13UNCX4-5/8"LgX6pcs
Mounting Surface O-Ring P12 x 2 pc, P28 x 4 pcs	